



# GMI<sup>®</sup> Rubber Compounds

## Applications

Calendered Sheet, Die Cut, Extruded, Laminated, LaserCut, LatheCut, Machined, Molded,  
PlasmaCut, Slice/Slit and WaterJetCut Products.

## COMPOUNDS

### EPDMs (Ethylene-Propylene-Diene-Monomer)

Duro**	Colors	FDA*	3-A*	USP Class VI*
50	Black, Blue, Brown, Gray, Green, Khaki(Tan), Orange, Purple, Red, White and Yellow	Yes	Yes	No
70	Blue, Brown, Gray, Green, Khaki(Tan), Orange, Purple, Red and Yellow	Yes	Yes	No
70	Black and White	Yes	Yes	Yes

### FKMs (Fluoroelastomer/Viton<sup>®</sup>)

Duro**	Colors	FDA*	3-A*	USP Class VI*
50	Black, Blue, Brown, Gray, Green, Khaki(Tan), Orange, Purple, Red, White and Yellow	Yes	Yes	No
55	Black, Blue, Brown, Gray, Green, Khaki(Tan), Orange, Purple, Red, White and Yellow	Yes	Yes	No
70	Blue, Brown, Gray, Green, Khaki(Tan), Orange, Purple, Red and Yellow	Yes	Yes	No
70	Black and White	Yes	Yes	Yes
90	Black, Blue, Brown, Gray, Green, Khaki(Tan), Orange, Purple, Red, White and Yellow	Yes	Yes	No

Viton<sup>®</sup> is a registered trademark of DuPont Performance Elastomers.

### NBRs (Nitrile/Buna-N)

Duro**	Colors	FDA*	3-A*	USP Class VI*
50	Black, Blue, Brown, Gray, Green, Khaki(Tan), Orange, Purple, Red, White and Yellow	Yes	Yes	No
70	Blue, Brown, Gray, Green, Khaki(Tan), Orange, Purple, Red and Yellow	Yes	Yes	No
70	Black and White	Yes	Yes	Yes

### VMQs (Silicone)

Duro**	Colors	FDA*	3-A*	USP Class VI*
50	Blue, Brown, Gray, Green, Khaki(Tan), Orange, Purple and Yellow	Yes	Yes	No
70	Blue, Brown, Gray, Green, Khaki(Tan), Orange, Purple and Yellow	Yes	Yes	No
70	Black, Clear, Red, Translucent and White	Yes	Yes	Yes
50 & 80	Platinum	Yes	Yes	Yes

\*\* Durometer Shore A

## COMPLIANT STANDARDS

\*FDA: U.S. Food and Drug Administration Code of Federal Regulations, Title 21, Part 177, Subpart C, Sec. 177.2600.  
Cite: 21CFR177.2600.

\*USDA FSIS (Food Safety and Inspection Service) FDA 21CFR7.12 and 21CFR7.13.

\*3-A: 3-A Sanitary Standards 18--as amended.

\*U.S. Pharmacopeia:

USP Class VI, USP 27, NF22, Chapter 88, Biological Reactivity Tests, "In VIVO".

USP MEM Elution Cytotoxicity, USP 27, NF22, Chapter 87, Biological Reactivity Tests, "In VITRO".

USP Elastomeric Closures, USP 29, NF 24, Chapter 381, Elastomeric Closures for Injections.



**GASKET MATERIALS for INDUSTRY<sup>®</sup>**

G-M-I, Inc. 4822 East 355<sup>th</sup> Street, Willoughby, Ohio 44094-4634 USA  
Telephone: 440-953-8811 Telefax: 440-953-9631  
e-mail: [gmiinc@msn.com](mailto:gmiinc@msn.com) url: [www.gmigaskets.com](http://www.gmigaskets.com)